

02_Contents

Thank you for choosing Domino by Creatif – a slimline glass moving wall system with acoustic properties. It's truly unique, so much so that there isn't an equal in the UK.

This guide is designed to walk you through how to use the Domino system.

For technical drawings, please contact Creatif.

Page 03 - 05 Operation Guide
Page 06 Cleaning & Maintenance
Page 07 Contact

>>

Servicing

Do you have a problem with your moving wall system or do you want to ask a question?

Email: service@creatif.org.uk

Guarantees

All materials were supplied by, or on behalf of, Creatif and manufactured in our factory.

All materials are guaranteed for 12 months from the date of installation, with the exception of component failure caused as a result of misuse or neglect.

03_Operation Guide 1 of 3


This guide assumes that your system is closed (forming a wall). If your system is open (stacked), please complete this process in the reverse order.

Step 1

First, locate the "Expanding Jamb" – this is the part of the Domino that is attached to your fixed wall.

Insert your locking handle into the hole located behind the escutcheon (which rotates on a pin).

Once inserted, firmly turn the handle clockwise. You will hear the acoustic seal open and a gap will appear between the expanding jamb and the first panel of your set.



04_Operation Guide 2 of 3

Step 2


You will now need to stack away your panel.

Using both hands, move the panel closest to the fixed wall a few centimetres away for the next panel in the set, so you can see through to the other side (see fig. A).

Now rotate the panel 90 degrees and proceed to place it into the desired or designated stacking area by moving it along the track (see fig. B.

While the panels are in motion, take care not to slam them into any surfaces to prevent damage.








05_Operation Guide 3 of 3

Step 3

Once the first panel has been stacked away, repeat the process until all remaining panels are securely placed at one end of the room.

Remember to take care when moving the glass panels to prevent damaging the panel's surface, or any nearby items or objects.




06_Cleaning & Maintenance

Domino requires little attention, though users should ensure that the track is kept free of dirt and foreign objects.

The glass panels can be cleaned with any suitable product available on the market, though the aluminium profile should be cleaned with a humid cloth.

For more info on a service contract, system usage or to activate your warranty, give us a call or send an email:

service@creatif.org.uk



07_Contact

If you have any questions about your moving wall system, or would like to find out more about our servicing packages, please get in touch;

T: +44 (0) 113 270 1239 **E:** service@creatif.org.uk

www.creatif.org.uk



Do you have a question?

Want to discuss servicing options?

Get in touch!