

02_Linera

The essence of Linera is simplicity.

A monolithic and minimalist straight sliding panel system, Linera is all about visual impact and being able to open up large spaces in seconds... Linera is exceptionally easy to operate.

If necessary, Linera can be acoustic too – using the same profiles and mechanical seal system as our Solo product means Linera can give you up to Rw 40dB.

Contents:

Page 04 Technical Details

Page 05 Stacking Configuration

Page 06 Technical Information

Page 07 Swatches

Page 08 Available Panels Elevations

Page 09 Contact













04_Technical Details

- 1. Standard Panel
- 2. Fixed Jamb
- 3. Brush Strip
- 4. Acoustic Seal
- 5. Single Point
- 6. Twin Point
- 7. Floor Seal
- 8. SP with Pelmet









05_Stacking Configuration

Config A Single Pocket Stack


Config B Double Pocket Stack

Config C Single Wall Stack

Please note: Panel thickness will vary depending on system type.

Other stacking options are available on request.

Please contact Creatif for further details.





06_Technical Information

	LINERA
Acoustic rating dB (Rw)	40.50 dB
Panel thickness	110mm
Weight KG/M2	47KG
Max. height	5000mm*
Max. panelwidth	1220mm
Panel construction	Aluminium (inc. steel over 3m)
Operable seal	Manual
Panel construction	MFC - 18mm
Track system	Aluminium TP + SP
Tolerance height MM	+/- 5mm
Tolerance width MM	+/- 10mm

07_Swatches

Other finish types available:

- » Magnetic
- » Drywipe
- » Pinnable
- » Printed board
- » Veneer

Other colours available on request. Contact Creatif: sales@creatif.org.uk









White

Alabaster

Light Grey

Various Colours









Maple

Birch


Beech

Printed Fabric









Cherry

Natural Lancaster Oak

Walnut


Other colours available on request

08_Available Panels Elevations

For constraints and variations contact Creatif: sales@creatif.org.uk

Ironmongery and Vision panels subject to constraints, contact us for Information.

Linera is only available with a twin point track Inset pass door only available when panel height is 2500mm or more.



Features and Benefits

- » Space flexibility quickly open and close large areas with ease.
- » Huge in size the biggest sliding wall available.
- » Efficient use of space panels slide into a pocket or adjacent to a fixed wall.
- » Acoustic integrity reduces noise transfer between spaces.
- » No floor track unbroken floor surface.

09_Contact

Details

T: +44 (0) 113 270 1239 F: +44 (0) 113 239 1672 E: info@creatif.org.uk

Head Office

Unit 2 National Road Business Park, National Road, Leeds LS10 1TE

Visit our website to find out more...



www.creatif.org.uk